

**Snow GUARDS 07 72 53**  
**VentSaver Vent Pipe Protector Specification Sheet:**  
**VentSaver FB 151, VentSaver P 383 and VentSaver HD (Heavy Duty)**

**3 Part Specification Sheet**

**Part 1: General**

**1.01 SUMMARY**

**A. Work Includes**

1. VentSaver aluminum snow diverter that attaches directly to the roof deck and straps to vent pipes/exhaust vents.
2. Determine proper method of attachment.

**B. Related Sections**

1. Master Format™ 2004 Section 23 35 19 – Industrial Ventilation and Exhaust
2. Master Format™ 2004 Section 23 73 33 – Heating/Ventilation/Air Conditioning System
3. Division 15: Mechanical
4. Master Format™ 2004 Section 07 61 13 – Air Supply, Distribution, Ventilation, and Exhaust System
5. Master Format™ 2004 Section 07 60 00 – Flashing and Sheet Metal
6. Master Format™ 2004 Section 07 72 00 – Roof Accessories.
7. Division 7: Thermal and Moisture Protection

**1.02 SYSTEM DESCRIPTION**

**A. Components**

1. VentSaver system that consists of individual aluminum snow diverter kit to protect a roof stack, chimney or mast.
2. Fasteners
  - a. Non Floating Mechanically Fastened Metal Roofs: Attach with (4) 1-1/2" lag screws, strapping, all weather sealant.

**1.03 SUBMITTALS**

**A. For Review**

1. Cut sheets with descriptions of product(s) and installation instructions.

**1.04 QUALITY ASSURANCE**

- A. Installer shall have at least 5 years experience installing the specified roofing material and accessories.**

**1.05 WARRANTY**

**A. Lifetime Warranty**

1. Provide warranty information from manufacturer covering against material and/or workmanship defect(s).

**Part 2: Product**

**2.01 ACCEPTABLE MANUFACTURER**

IceBlox, Inc., d.b.a.

Snoblox-Snojax  
1405 Brandon Road  
Mechanicsburg, PA 17055

**Phone:**  
(800) 766-5291  
(717) 737-4398

**Fax:**  
(800) 634-7906  
(717) 697-6141

**Online:**  
www.ventsaver.com  
support@snojax.com

**Warehouse:**  
671 Willow Street  
Lemoyne, PA 17043

**2.02 MATERIALS**

**A. Materials**

1. Non-corrosive powder coated aircraft grade aluminum
2. Pre-punched stainless steel strap or cable
3. Stainless steel nuts, bolts, and heavy duty 1-1/2" lag screws

**2.03 FINISH**

- A. Powder coated grey or black depending on model.**

**Part 3 Execution**

**3.01 EXAMINATION**

**A. Substrate**

1. Validate that the roofing material has been installed correctly and structure is adequate prior to installing snow guards.
1. Confirm the substrate below is at least a 2" thick and that the provided 1-1/2" lag screws engage fully.

**3.02 INSTALLATION**

- A. Comply with architectural guidelines and follow manufacturer's written installation instructions for installation**